



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Caretta caretta* (L.)—continued.

A.M.N.H. No.	(a) Length Carapace	(b) Breadth	(c) Length Plastron	b a	c a
4610	47	38	36	.81	.76
4611	47	39	35	.83	.74
4612	47	37	35	.79	.74
4613	48	37	37	.77	.77

KARL P. SCHMIDT,  
EMMETT R. DUNN,  
New York, N. Y.

## FURTHER NOTES ON PSEUDEMYIS AT PLYMOUTH, MASSACHUSETTS.

The two short articles in the December "COPEIA" having stimulated some new interest in this connection, I have to record the following new ponds in Plymouth County, Massachusetts, in which *Pseudemys rubriventris* has been observed: Great South Pond and Crooked Pond. The Island Pond mentioned in my notes is the one about one-half mile northeast of Gunners Exchange. Hallfield Pond, the existence of which Dr. Lucas doubted, is a small four-acre pond between Hoyt and Boot Ponds. *P. rubriventris* does not occur in Half-way Pond as far as I know. It is a curious fact that in the ponds where this turtle is found, it seems to be the most common species. It is also of interest that the "Plymouth Sabbatia" and other plants, as well as certain insects, notably dragon flies, which are distributed over the same local areas as this species of turtle, are all southern forms of life.

HAROLD L. BABCOCK,  
Boston, Mass.